

# EPEX SPOT sFTP server file specifications

The purpose of this document is to show the location of the relevant EPEX SPOT data files on the new EPEX SPOT SFTP server. The availability of the data described depends on the subscriptions taken. For more information, please contact your market data team at [marketdata.sales@epexspot.com](mailto:marketdata.sales@epexspot.com).

## Table of contents:

<b>1</b>	<b>Available data</b>	<b>2</b>
1.1	File key information	2
1.2	Available market data	2
<b>2</b>	<b>Data distribution support : sFTP server</b>	<b>4</b>
2.1	Requirements	4
2.2	Connection	4
2.3	Folder Structure	4
2.4	File Description	7
2.4.1	Day-Ahead Auction	8
2.4.2	Intraday Auction	19
2.4.3	Intraday Continuous	34
2.4.4	Guarantees of origin	41
<b>3</b>	<b>Contacts</b>	<b>47</b>

# 1 Available data

## 1.1 File key information

- Please note that all files are in csv format.
- All volumes are in **MWh**.

## 1.2 Available market data

Please find below the list of available market data.

Market Area	Segment	Product	Update interval
All	Day-Ahead Auction (current year Y)	<ul style="list-style-type: none"> <li>▪ Day-ahead auction prices &amp; volumes</li> <li>▪ Aggregated curves</li> <li>▪ Block bids</li> </ul>	Upon publication
	Day-Ahead Auction (Y-1 and beyond)	<ul style="list-style-type: none"> <li>▪ Historical day-ahead auction prices &amp; volumes, aggregated curves, block bid and index data</li> </ul>	
	Intraday Continuous (current year Y)	<ul style="list-style-type: none"> <li>▪ Trades</li> <li>▪ Statistics</li> </ul>	20-minute delay
	Intraday Continuous (current year Y)	<ul style="list-style-type: none"> <li>▪ Trades</li> <li>▪ Statistics</li> <li>▪ Indices</li> </ul>	End-of-Day
	Intraday Continuous (Y-1 and beyond)	<ul style="list-style-type: none"> <li>▪ Historical continuous trades, aggregated results/statistics and indices</li> </ul>	
	Intraday Continuous	<ul style="list-style-type: none"> <li>▪ Orders</li> </ul>	End-of-Day
	Intraday Auction (Current year Y)	<ul style="list-style-type: none"> <li>▪ Pan-EU IDA 1, 2 and 3 prices &amp; volumes</li> <li>▪ Aggregated curves</li> <li>▪ Block bids</li> </ul>	Upon publication
	Intraday Auction (Y-1 and beyond)	<ul style="list-style-type: none"> <li>▪ Pan-EU IDA 1, 2 and 3 historical intraday auction prices &amp; volumes, aggregated curves data and block bids</li> <li>▪ Legacy IDA historical intraday auction prices &amp; volumes, aggregated curves data and block bids</li> </ul>	

Market Area	Segment	Product	Update interval
France only	Capacity market	<ul style="list-style-type: none"> <li>Capacity market prices &amp; volumes</li> <li>Capacity market aggregated curves</li> </ul>	Upon publication
Germany only	Phelix DE-AT index (current year Y)	<ul style="list-style-type: none"> <li>Prices &amp; volumes</li> </ul>	Upon publication
	Phelix DE-AT index (Y-1 and beyond))	<ul style="list-style-type: none"> <li>Prices &amp; volumes</li> </ul>	

Market	Segment	Product	Update interval
Guarantees of origin	GO auction (current year Y)	<ul style="list-style-type: none"> <li>Prices</li> <li>Volumes</li> <li>Indices</li> </ul>	Upon publication
	GO auction (Y-1 and beyond)	<ul style="list-style-type: none"> <li>Prices</li> <li>Volumes</li> <li>Indices</li> </ul>	

**Q. How do you distinguish between current and historical data?**

A. All market data from the previous year and beyond are considered as historical data. All market data of the current year is considered as current data. At the end of the current year, all data will be transferred from the “current” folder to the “historical” folder.

## 2 Data distribution support : sFTP server

### 2.1 Requirements

The technical requirements are:

- An Internet connection
- An ftp client application such as Filezilla (<https://filezilla-project.org/>) or WinSCP (<https://winscp.net/eng/download.php>) as a standalone application to download the requested market data files.

The access is attributed by the EPEX Spot market data department. The privileges depend on the type of subscription. In all cases, access is granted on a “**read only**” basis.

### 2.2 Connection

sFTP Host Name	sftp.marketdata.epexspot.com
IP Address	34.40.85.156
Port	22 (please make sure your firewall allows connections through this port)
User timeout setting	300 seconds (there are certain times during the day when the traffic is very heavy, in which case the software may put some users on hold in order to remain stabilized. The user timeout setting allows to remain connected for the amount of time set until you can access the data)
Username and password	provided by Market Data department
Supported protocols	Key Exchange Algorithms: diffie-hellman-group14-sha256, diffie-hellman-group-exchange-sha256 Server Host Key Algorithms: rsa-sha2-256, rsa-sha2-512 Encryption Algorithms: aes256-ctr, aes128-ctr MAC Algorithms: hmac-sha2-512, hmac-sha2-256

Please make sure to update your SFTP applications. Our new SFTP server is more secure, and all known vulnerable ciphers and algorithms are disabled in favor of secure ones. Our server only accepts host key algorithms rsa-sha2-512 and rsa-sha2-256. A certificate also needs to be accepted at the first connection.

### 2.3 Folder Structure

The EPEX SPOT files are stored in the folder **/<market area>/**.

## GENERIC FOLDER STRUCTURE:

<market area>	Day-Ahead Auction	<Auction modality> Hourly Half-hourly Quarter-Hourly	Current	Aggregated curves Block bids Prices_Volumes
			Historical	Aggregated curves Block bids Prices_Volumes
		Indices	Current	
			Historical	
	Intraday Auction	Pan-European IDA1	Current	Aggregated curves Block bids Prices_Volumes
			Historical	Aggregated curves Block bids Prices_Volumes
		Pan-European IDA2	Current	Aggregated curves Block bids Prices_Volumes
			Historical	Aggregated curves Block bids Prices_Volumes
		Pan-European IDA3	Current	Aggregated curves Block bids Prices_Volumes
			Historical	Aggregated curves Block bids Prices_Volumes
		<Legacy IDA name>	Current	Aggregated curves Block bids Prices_Volumes
			Historical	Aggregated curves Block bids Prices_Volumes

guarantees of origin	Current	Prices_Volumes	Nuclear
			Renewables
			Thermal
	Historical	Prices_Volumes	Nuclear
			Renewables
			Thermal
Intraday Continuous	Delayed	Results	
		Transactions	
	EOD	Results	
		Transactions	
		Historical	Results
			Transactions
	Indices	Intraday indices	
		Historical	Intraday indices
	Orders	2025	
		2024	
		YYYY	

## 2.4 File Description

Please note that all files are in csv format. **Excel files are not generated.** The exceptions are the CZC and Flows files described later. **All volume units are in MWh instead of MW.**

## 2.4.1 Day-Ahead Auction

- Volumes**

### Quarter-hourly auctions (AT, BE, DE, DK1-2, FI, FR, NL, NO1-5, PL, SE1-4)

Name	auction_spot_15_volumes_market area_YYYY.csv
Format	csv
Separator	Comma separated values
Location	(Current year Y files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Current/Prices_Volumes/, Y-1 and before files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Historical/Prices_Volumes/)
Update	All other market areas: approx. 12:45 CET/CEST everyday

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Volumes - EPEX Spot Market Auction – [market area]

*Column description:*

Header	Content and format
Delivery Day	Date: DD/MM/YYYY
Hour 1 Q1 to Hour 24 Q4	Volume: number, one decimal (unit: MWh) Hour 3A Q1 to 3A Q4, and Hour 3B Q1 to 3B Q4 are used for Summer and Winter clock change (no value in 3A Q1 to and 3B for Summer clock change, value in 3A and 3B for Winter clock change).
Total Volume	Market clearing volume: number, one decimal. Sum of volumes of Hour 1 Q1 to Hour 24 Q4.
Buy Volume	Volume driven by buyer-initiated trades. Number, one decimal.
Sell Volume	Volume driven by seller-initiated trades. Number, one decimal.

### Half-hourly auctions (GB)

Name	hh_auction_spot_volumes_great-britain_YYYY.csv
Format	csv
Separator	Comma separated values
	/great-britain/Day-Ahead Auction/Half-hourly/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /great-britain/Day-Ahead Auction/Half-hourly/Current/Prices_Volumes/)
Update	16:50 CET/CEST everyday

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Volumes - EPEX Spot Market Auction – great-britain

*Column description:*



Header	Content and format
Delivery Day	Date: DD/MM/YYYY
Hour 1 Q1, Hour 1 Q2, Hour 2 Q1, Hour 2 Q2, etc.	Volume: number, two decimals (unit: MWh) Hours 3A Q1, 3A Q2, 3B Q1 and Hour 3B Q2 are used for Summer and Winter clock change (no value in 3A Q1, 3A Q2, 3B Q1 and 3B Q2 for Summer clock change, value in 3A Q1, 3A Q2, 3B Q1 and 3B Q2 for Winter clock change).
Total volume	Volume: number, two decimals Sum of volumes of Hour 1 to Hour 24

## Hourly auctions (CH)

Name	auction_spot_volumes_market area_YYYY.csv
Format	csv
Separator	Comma separated values
	/switzerland/Day-Ahead Auction/Hourly/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /switzerland/Day-Ahead Auction/Hourly/Historical/Prices_Volumes/)
Update	Approx. 11:15 CET/CEST everyday

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Volumes - EPEX Spot Market Auction – switzerland

Column description:

Header	Content and format
Delivery Day	Date: DD/MM/YYYY
Hour 1 to Hour 24	Volume: number, one decimal (unit: MWh) Hour 3A and Hour 3B are used for Summer and Winter clock change (no value in 3A and 3B for Summer clock change, value in 3A and 3B for Winter clock change).
Total volume	Volume: number, one decimal Sum of volumes of Hour 1 to Hour 24
Buy Volume	Volume driven by buyer-initiated trades. Number, one decimal.
Sell Volume	Volume driven by seller-initiated trades. Number, one decimal.

- **Prices**

## Quarter-hourly auctions (AT, BE, DE, DK1-2, FI, FR, NL, NO1-5, PL, SE1-4)

Name	auction_spot_15_prices_market area_YYYY.csv
Format	csv
Separator	Comma separated values

Location	(Current year Y files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Current/Prices_Volumes/, Y-1 and before files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Historical/Prices_Volumes/)
----------	--

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Prices - EPEX Spot Market Auction – [market area] –  
Currency: EUR

*Column description:*

<i>Header</i>	<i>Content and format</i>
Delivery Day	Date: DD/MM/YYYY
Hour 1 Q1 to Hour 24 Q4	Market clearing price for each 15-minute product. Price: number, two decimals Hour 3A Q1 to 3A Q4, and Hour 3B Q1 to 3B Q4 are used for Summer and Winter clock change (no value in 3A Q1 to and 3B for Summer clock change, value in 3A and 3B for Winter clock change).
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Baseload (Hour 1 Q1-24 Q4)	Average price for the 96 15-minute products of the day, two decimals.
Peakload (Hour 9 Q1-20 Q4)	Average price for block including Hours 9 Q1 to 20 Q4, two decimals.
Off-peak (Hour 1 Q1-08 Q4 & 21 Q1-24 Q4)	Average price for block including Hours 1 Q1 to 8 Q4 (OP1) and 21 Q1 to 24 Q4 (OP2), two decimals.
Off-peak 2 (Hour 21 Q1-24 Q4)	Average price for block including Hours 21 Q1 to 24 Q4, two decimals.
Off-peak 1 (Hour 1 Q1-8 Q4)	Average price for block including Hours 1 Q1 to 8 Q4, two decimals.
Night (Hour 1 Q1-6 Q4)	Average price for block including Hours 1 Q1 to 6 Q4, two decimals.
Late morning (Hour 9 Q1-12 Q4)	Average price for block including Hours 9 Q1 to 12 Q4, two decimals.
Early afternoon (Hour 13 Q1-16 Q4)	Average price for block including Hours 13 Q1 to 16 Q4, two decimals.
Evening (Hour 19 Q1-24 Q4)	Average price for block including Hours 19 Q1 to 24 Q4, two decimals.
Early morning (Hour 5 Q1-8 Q4)	Average price for block including Hours 5 Q1 to 8 Q4, two decimals.
Business (Hour 9 Q1-16 Q4)	Average price for block including Hours 9 Q1 to 16 Q4, two decimals.
Afternoon (Hour 15 Q1-18 Q4)	Average price for block including Hours 15 Q1 to 18 Q4, two decimals.
Middle night (Hour 1 Q1-4 Q4)	Average price for block including Hours 1 Q1 to 4 Q4, two decimals.
Morning ( Hour 7 Q1-10 Q4)	Average price for block including Hours 7 Q1 to 10 Q4, two decimals.

Header	Content and format
High noon (Hour 11 Q1-14 Q4)	Average price for block including Hours 11 Q1 to 14 Q4, two decimals.
Rush hour (Hour 17 Q1-20 Q4)	Average price for block including Hours 17 Q1 to 20 Q4, two decimals.
Sun peak (Hour 11 Q1-16 Q4)	Average price for block including Hours 11 Q1 to 16 Q4, two decimals.

## Half-hourly auctions (GB)

Name	hh_auction_spot_prices_great-britain_YYYY.csv
Format	csv
Separator	Comma separated values
	/great-britain/Day-Ahead Auction/Half-hourly/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /great-britain/Day-Ahead Auction/Half-hourly/Current/Prices_Volumes/)
Update	16:50 CET/CEST everyday

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Prices - EPEX Spot Market Auction – [market area] –  
Currency: GBP

### Column description:

Header	Content and format
Hour 1 Q1	Price value for 00:00 to 00:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 1 Q2	Price value for 00:30 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 2 Q1	Price value for 01:00 to 01:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 2 Q2	Price value for 01:30 to 02:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 3A Q1	Price value for 02:00 to 02:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3A Q2	Price value for 02:30 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3B Q1	Price value for 02:00 to 02:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
Hour 3B Q2	Price value for 02:30 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two

Header	Content and format
	decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
Hour 4 Q1	Price value for 03:00 to 03:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 4 Q2	Price value for 03:30 to 04:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
..	
Hour24	Price value for 23:00 to 24:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Baseload (1-24)	Average hourly price for the 24 hours of the day, two decimals.
Peakload (9-20)	Average hourly price for block including Hours 9 to 20, two decimals.
Off -Peak (01-08 & 21-24)	Average hourly price for block including Hours 1 to 8 (OP1) and 21 to 24 (OP2), two decimals.

## Hourly auctions (CH)

Name	auction_spot_prices_switzerland_YYYY.csv
Format	csv
Separator	Comma separated values
	/switzerland/Day-Ahead Auction/Hourly/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /switzerland/Day-Ahead Auction/Hourly/Historical/Prices_Volumes/)
Update	Approx. 11:15 CET/CEST everyday

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Prices - EPEX Spot Market Auction – switzerland – Currency: EUR

Column description:

Header	Content and format
Hour1 to Hour 24	Price value for 00:00 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Price: number, two decimals Hour 3A and Hour 3B are used for Summer and Winter clock change (no value in 3A and 3B for Summer clock change, value in 3A and 3B for Winter clock change).
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Middle-Night (01-04)	Average price for block including Hours 1 to 4, two decimals.

Header	Content and format
Early Morning (05-08)	Average price for block including Hours 5 to 8, two decimals.
Late Morning (09-12)	Average price for block including Hours 9 to 12, two decimals.
Early Afternoon (13-16)	Average price for block including Hours 13 to 16, two decimals.
Rush Hour (17-20)	Average price for block including Hours 17 to 20, two decimals.
Off-Peak 2 (21-24)	Average price for block including Hours 21 to 24, two decimals.
Baseload (1-24)	Average price for the 24 hours of the day, two decimals.
Peakload (9-20)	Average price for block including Hours 9 to 20, two decimals.
Night (01-06) (not GB)	Average price for block including Hours 1 to 6, two decimals.
Off-Peak 1 (01-08)	Average price for block including Hours 1 to 8, two decimals.
Business (09-16)	Average price for block including Hours 9 to 16, two decimals.
Offpeak (01-08 & 21-24)	Average price for block including Hours 1 to 8 (OP1) and 21 to 24 (OP2), two decimals.
Morning (07-10)	Average price for block including Hours 7 to 10, two decimals.
High Noon (11-14)	Average price for block including Hours 11 to 14, two decimals.
Afternoon (15-18)	Average price for block including Hours 15 to 18, two decimals.
Evening (19-24)	Average price for block including Hours 19 to 24, two decimals.
Sunpeak (11-16)	Average price for block including Hours 11 to 16, two decimals.

- **60-minute indices (AT, BE, DE, DK1-2, FI, FR, NL, NO1-5, PL, SE1-4)**

Name	EPEX_SPOT_Indices_MA_YYYYMMDD.csv (MA is the short name of the market area, for example AT for Austria, etc.)
Format	csv
Separator	Comma separated values
Location	(Current year Y files are located in /<market area>/Day-Ahead Auction/Indices/Current/, Y-1 and before files will be located in /<market area>/Day-Ahead Auction/Indices/Historical/)
Update	Approx. 12:55 CET/CEST everyday

Column description:

Header	Content and format
IndexName	Official EPEX name of the index: MA epex DA ID60

Header	Content and format
	(MA is the short name of the market area, for example AT for Austria, etc.)
Modality	Type of segment used in the calculation of the index: Auction
BusinessProduct	Day-Ahead Auction
ReferenceIndex	epex DA ID60
DeliveryProfile	Granularity of index delivery period: PT60M
DeliveryStart	Delivery start of the contract, in UTC, including seconds: YYYY-MM-DDThh:mm:ssZ
DeliveryEnd	Delivery end of the contract, in UTC, including seconds: YYYY-MM-DDThh:mm:ssZ
IndexPrice	Price index, rounding half up to 2 decimals
Currency	EUR
IndexAuctionVolume	Volume used to compute the index, rounding half up to 1 decimal
VolumeUnit	MWH

- **All-Certified Exchanges' aggregated curves (AT, BE, DE, DK1-2, FI, FR, NL, NO1-5, PL, SE1-4):**

Name	auction_15_aggregated_curves_<market area>_YYYYMMDD.csv
Format	csv
Separator	Comma separated values
Location	(Current year Y files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Current/Aggregated curves/, Y-1 and before files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/HistoricalAggregated curves/)
Update	Approx. 13:10 CET/CEST

Line 1: # [date] [HH:MM:ss AM/PM] UTC : Aggregated Curves - Spot Market Auction – [market area]

*Column description:*

Header	Content and format
Date	Delivery day: DD/MM/YYYY
Week	Number: no decimal Week number in the year
Week Day	Number: no decimal Day number in the week
Hour	1 to 24
Quarter hour	1 to 4
Price	Number: up to 13 decimals Unit: EUR/MWh
Volume	Number: up to 13 decimals Unit: MWh
Sale/Purchase	Text: sell or purchase

3 aggregated curve files will be published for each type of submission (15, 30 and 30-minute).

- **Epex Spot aggregated curves (CH and GB):**

Name	auction_aggregated_curves_<market area>_YYYYMMDD.csv or hh_auction_aggregated_curves_great-britain_YYYYMMDD.csv
Format	csv
Separator	Comma separated values
Location	/<market area>/Day-Ahead Auction/Hourly or Half-hourly/Current/Aggregated curves/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Day-Ahead Auction/Hourly or Half-hourly/Historical/Aggregated curves/)
Update	GB 60 min: approx. 10:35 CET/CEST everyday CH: approx. 11:15 CET/CEST everyday GB 30 min: approx. 16:50 CET/CEST everyday

Line 1: # [date] [HH:MM:ss AM/PM] UTC: Aggregated Curves - EPEX Spot Market Auction – [market area]

Column description:

Header	Content and format
Date	Delivery day: DD/MM/YYYY
Week	Number: no decimal Week number in the year
Week Day	Number: no decimal Day number in the week
Hour	Number: no decimal
Price	Number: up to 13 decimals Unit: Euro/MWh (Pounds/MWh in GB)
Volume	Number: up to 13 decimals Unit: MWh
Sale/Purchase	Text: sell or purchase

- **All-Certified Exchanges' block bids (AT, BE, DE, DK1-2, FI, FR, NL, NO1-5, PL, SE1-4):**

Name	all_exchanges_bbof_15_<market area>_YYYYMMDD.csv
Format	csv
Separator	Semicolon separated values
Location	(Current year Y files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Current/Block bids/ Y-1 and before files are located in /<market area>/Day-Ahead Auction/Quarter-hourly/Historical/Block bids/)
Update	Approx. 13:15 CET/CEST everyday

Line 1: # trading date (DD.MM.YYYY) Daily Manual Auction Block Bids

Column description:

Header	Content and format
Data type	ST = status BB = Block Bids

Header	Content and format
	AL = number of lines
Delivery Date	DD.MM.YYYY
Block ID	Unique ID number per block
Block Type	Types of block: C01: normal block, C02: linked block, C04: exclusive group block, C88: loop block
Creation Date	DD.MM.YYYY
BlockCodePRM	Block Code Parameter allowing the identification among parents, etc.
Execution	Y or N – indicates if a block bid has been executed or not
Limit Price	Market price, up to six decimals
Currency	EUR
Limit Price	Market price, up to six decimals
Creation Time	HH:MM:ss CET (IN WINTER)/CEST (IN SUMMER) CET (IN WINTER)/CEST (IN SUMMER)– indicates the time when the file is created
Creation Date	DD.MM.YYYY – indicates the day when the file is created
Volume H01 Q1 to H24 Q4	Volume bid for Hour 1 Q1 to Hour 24 Q4, one decimal. Hour 3A Q1 to 3A Q4, and Hour 3B Q1 to 3B Q4 are used for Summer and Winter clock change (no value in 3A Q1 to and 3B for Summer clock change, value in 3A and 3B for Winter clock change).
MAR	Minimum Accepted Ratio
AAR	Actual Acceptance Ratio

3 files block bid files will be published for each type of submission (15, 30 and 30-minute).

- **Epex Spot block bids:**

#### Hourly auctions (CH and GB)

Name	bbof <market area> YYYYMMDD.csv
Format	csv
Separator	Semicolon separated values
Location	/<market area>/Day-Ahead Auction/Hourly/Current/Block bids/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Day-Ahead Auction/Hourly/Historical/Block bids/)
Update	GB 60 min: 11:00 CET/CEST everyday Switzerland: approx. 11:20 CET/CEST everyday

Line 1: # trading date (DD.MM.YYYY) Daily Manual Auction Block Bids

Column description:

Header	Content and format
Data type	ST = status



Header	Content and format
	BB = Block Bids AL = number of lines
Delivery Date	DD.MM.YYYY
Block ID	Unique ID number per block
Block Type	Types of block: C01: normal block, C02: linked block, C04: exclusive group block, C88: loop block
Block Code PRM	Number
Execution	Y or N – indicates if a block bid has been executed or not
Currency	Euros
Limit Price	Market price, one decimal
Creation Time	HH:MM:ss CET (IN WINTER)/CEST (IN SUMMER) CET (IN WINTER)/CEST (IN SUMMER) – indicates the time when the file is created
Creation Date	DD.MM.YYYY – indicates the day when the file is created
Volume H01	Volume bid for Hour 1 (00:00-01:00), three decimals.
Volume H02	Volume bid for Hour 2 (01:00-02:00), three decimals.
Volume H03A	Volume bid for Hour 3 (02:00-03:00), three decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Volume H03B	Volume bid for Hour 3 (02:00-03:00), three decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
Volume H04	Volume bid for Hour 4 (03:00-04:00), three decimals.
..	
Volume H24	Volume bid for Hour 24 (23:00-24:00), three decimals.

### Half-hourly auction (GB)

Name	hh_bbof_great-britain_YYYYMMDD.csv
Format	csv
Separator	Semicolon separated values
Location	/<market area>/Day-Ahead Auction/Half-hourly/Current/Block bids/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Day-Ahead Auction/Half-hourly/Historical/Block bids/
Update	Approx. 16:55 CET/CEST everyday

Line 1: # delivery date (DD.MM.YYYY) Daily Manual Auction Block Bids

Column description:

<i>Header</i>	<i>Content and format</i>
Data type	ST = status BB = Block Bids AL = number of lines
Delivery Date	DD.MM.YYYY
BlockID	Unique ID number per block
Number of lines	Number
Currency	EUR (Euros)
Block Type	Types of block: C01: normal block, C02: linked block, C04: exclusive group block, C88: loop block
Creation Time	HH:MM:ss CET (IN WINTER)/CEST (IN SUMMER) CET (IN WINTER)/CEST (IN SUMMER)– indicates the time when the file is created
BlockCodePRM	empty
Creation Date	DD.MM.YYYY – indicates the day when the file is created
Execution	Y or N – indicates if a block bid has been executed or not
Limit Price	Market price, one decimal
Volume H01 Q1	Volume bid for Hour 1 and Half-Hour 1 (00:00-00:30), two decimals.
Volume H01 Q2	Volume bid for Hour 1 and Half-Hour 2 (00:30-01:00), two decimals.
Volume H02 Q1	Volume bid for Hour 2 and Half-Hour 1 (01:00-01:30), two decimals.
Volume H02 Q2	Volume bid for Hour 2 and Half-Hour 2 (01:30-02:00), two decimals.
Volume H03A Q1	Volume bid for Hour 3A and Half-Hour 1 (02:00-02:30), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Volume H03A Q2	Volume bid for Hour 3A and Half-Hour 2 (02:30-03:00), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Volume H03B Q1	Volume bid for Hour 3B and Half-Hour 1, two decimals. Field is filled for switch to winter time
Volume H03B Q2	Volume bid for Hour 3B and Half-Hour 2, two decimals. Field is filled for switch to winter time
...	...
Volume H24 Q2	Volume bid for Hour 24 and Half-Hour 4 (23:45-24:00), two decimals.
MAR	Minimum Acceptance Ratio
AAR	Actual Acceptance Ratio

## 2.4.2 Intraday Auction

**All market areas, except GB and Switzerland:**

- **Trading contracts time units**

The following contract time units will apply to the pan-EU IDAs bidding zones run by EPEX:

- 15min time unit: AT, BE, DE, DK1-DK2, FI, NL, SE1-SE4
- 30min time unit: FR
- 60min time unit: NO1-NO5, PL

Note that only one contract time unit will be available in each bidding zone.

- **Prices**

Name	pan-european_prices_<market area>_IDA1_YYYY pan-european_prices_<market area>_IDA2_YYYY pan-european_prices_<market area>_IDA3_YYYY
Format	csv
Separator	Comma separated values
Location	/<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Historical/Prices_Volumes/
Update	IDA1: Approx. 15:45 CET/CEST in D-1 IDA2 : Approx. 22:45 CET/CEST in D-1 IDA3 : Approx. 10:45 CET/CEST in D

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM] UTC: Prices – pan-european IDA1 or IDA2 or IDA3 – [market area] – Currency: EUR

Header	Content and format
Delivery day	DD/MM/YYYY
Hour1Q1	Price value for 00:00 to 00:15 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour1Q2	Price value for 00:15 to 00:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour1Q3	Price value for 00:30 to 00:45 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour1Q4	Price value for 00:45 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.

Header	Content and format
Hour2Q1	Price value for 01:00 to 01:15 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour2Q2	Price value for 01:15 to 01:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour2Q3	Price value for 01:30 to 01:45 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour2Q4	Price value for 01:45 to 02:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour3AQ1 – Hour3AQ2 – Hour3AQ3 – Hour3AQ4	Price value for quarters between 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour3BQ1 – Hour3BQ2 – Hour3BQ3 – Hour3BQ4	Price value for quarters between 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
..	
Minimum (IDA1, IDA2, IDA3)	Minimum price, two decimals.
Maximum (IDA1, IDA2, IDA3)	Maximum price, two decimals.
Baseload (IDA1, IDA2)	Average price for the 96 15-minute products of the day, two decimals.
Peakload (IDA1, IDA2)	Average price for block including Hours 9 Q1 to 20 Q4, two decimals.
Off-peak (IDA1, IDA2)	Average price for block including Hours 1 Q1 to 8 Q4 (OP1) and 21 Q1 to 24 Q4 (OP2), two decimals.
Off-peak 2 (IDA1, IDA2, IDA3)	Average price for block including Hours 21 Q1 to 24 Q4, two decimals.
Off-peak 1 (IDA1, IDA2)	Average price for block including Hours 1 Q1 to 8 Q4, two decimals.
Night (IDA1, IDA2)	Average price for block including Hours 1 Q1 to 6 Q4, two decimals. <i>Will be added at a let stage.</i>
Late morning (IDA1, IDA2)	Average price for block including Hours 9 Q1 to 12 Q4, two decimals. <i>Will be added at a let stage.</i>
Early afternoon (IDA1, IDA2, IDA3)	Average price for block including Hours 13 Q1 to 16 Q4, two decimals. <i>Will be added at a let stage.</i>
Evening (IDA1, IDA2, IDA3)	Average price for block including Hours 19 Q1 to 24 Q4, two decimals. <i>Will be added at a let stage.</i>
Early morning (IDA1, IDA2)	Average price for block including Hours 5 Q1 to 8 Q4, two decimals.

Header	Content and format
	<i>Will be added at a let stage.</i>
Business (IDA1, IDA2)	Average price for block including Hours 9 Q1 to 16 Q4, two decimals. <i>Will be added at a let stage.</i>
Afternoon (IDA1, IDA2, IDA3)	Average price for block including Hours 15 Q1 to 18 Q4, two decimals. <i>Will be added at a let stage.</i>
Middle night (IDA1, IDA2)	Average price for block including Hours 1 Q1 to 4 Q4, two decimals. <i>Will be added at a let stage.</i>
Morning (IDA1, IDA2)	Average price for block including Hours 7 Q1 to 10 Q4, two decimals. <i>Will be added at a let stage.</i>
High noon (IDA1, IDA2)	Average price for block including Hours 11 Q1 to 14 Q4, two decimals. <i>Will be added at a let stage.</i>
Rush hour (IDA1, IDA2, IDA3)	Average price for block including Hours 17 Q1 to 20 Q4, two decimals. <i>Will be added at a let stage.</i>
Sun peak (IDA1, IDA2)	Average price for block including Hours 11 Q1 to 16 Q4, two decimals.

**In the case of IDA1 cancellation, fallback indices are implemented. The index value is defined as the corresponding epex DA MCP 60min of the relevant market area spread over each quarter of the respective hourly delivery period.**

- **Volumes**

Name	pan-european_volumes_<market area>_IDA1_YYYY pan-european_volumes_<market area>_IDA2_YYYY pan-european_volumes_<market area>_IDA3_YYYY
Format	csv
Separator	Comma separated values
Location	/<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Historical/Prices_Volumes/
Update	IDA1: Approx. 15:45 CET/CEST in D-1 IDA2 : Approx. 22:45 CET/CEST in D-1 IDA3 : Approx. 10:45 CET/CEST in D

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM] UTC: Volumes - pan-european IDA1 or IDA2 or IDA3 – [market area]

Header	Content and format
Delivery day	DD/MM/YYYY

Header	Content and format
Hour1Q1	Volume traded for 00:00 to 00:15 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour1Q2	Volume traded for 00:15 to 00:30 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour1Q3	Volume traded for 00:30 to 00:45 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour1Q4	Volume traded for 00:45 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour2Q1	Volume traded for 01:00 to 01:15 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour2Q2	Volume traded for 01:15 to 01:30 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour2Q3	Volume traded for 01:30 to 01:45 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour2Q4	Volume traded for 01:45 to 02:00 CET (IN WINTER)/CEST (IN SUMMER), three decimals.
Hour3AQ1 – Hour3AQ2 – Hour3AQ3 – Hour3AQ4	Volume traded for quarters between 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), three decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour3BQ1 – Hour3BQ2 – Hour3BQ3 – Hour3BQ4	Volume traded for quarters between 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), three decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
..	
Total Volume	Volume traded for the 96 quarter of hour of the day, three decimals.

- **Block bids**

Name	pan-european_bbof_IDA1_<market area>_YYYYMMDD.csv pan-european_bbof_IDA2_<market area>_YYYYMMDD.csv pan-european_bbof_IDA3_<market area>_YYYYMMDD.csv
Format	csv
Separator	Semicolon separated values
Location	/<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Current/Block bids/

	(Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Historical/Block bids/
Update	IDA1: Approx. 15:30 CET/CEST in D-1 IDA2 : Approx. 22:25 CET/CEST in D-1 IDA3 : Approx. 10:20 CET/CEST in D

Line 1: ## delivery date (DD.MM.YYYY) Daily Manual Auction Block Bids

Column description:

Header	Content and format
Data type	ST = status BB = Block Bids AL = number of lines
Delivery Date	DD.MM.YYYY
BlockID	Unique ID number per block
Number of lines	Number
Currency	EUR (Euros)
Block Type	Types of block: C01: normal block, C02: linked block, C04: exclusive group block, C88: loop block
Creation Time	HH:MM:ss CET (IN WINTER)/CEST (IN SUMMER) CET (IN WINTER)/CEST (IN SUMMER) – indicates the time when the file is created
BlockCodePRM	empty
Creation Date	DD.MM.YYYY – indicates the day when the file is created
Execution	Y or N – indicates if a block bid has been executed or not
Limit Price	Market price
Volume H01 Q1	Volume bid for Hour 1 and Quarter Hour 1 (00:00-00:15), three decimals.
Volume H01 Q2	Volume bid for Hour 1 and Quarter Hour 2 (00:15-00:30), three decimals.
Volume H01 Q3	Volume bid for Hour 1 and Quarter Hour 3 (00:30-00:45), three decimals.
Volume H01 Q4	Volume bid for Hour 1 and Quarter Hour 4 (00:45-01:00), three decimals.
Volume H02 Q1	Volume bid for Hour 2 and Quarter Hour 1 (01:00-01:15), three decimals.
Volume H02 Q2	Volume bid for Hour 2 and Quarter Hour 2 (01:15-01:30), three decimals.
Volume H02 Q3	Volume bid for Hour 2 and Quarter Hour 3 (01:30-01:45), three decimals.
Volume H02 Q4	Volume bid for Hour 2 and Quarter Hour 4 (01:45-02:00), three decimals.
Volume H03A Q1	Volume bid for Hour 3A and Quarter Hour 1 (02:00-02:15), three decimals. Field is empty

Header	Content and format
	for switch to summer time (DST – Daylight Saving Time)
Volume H03A Q2	Volume bid for Hour 3A and Quarter Hour 2 (02:15-02:30), three decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Volume H03A Q3	Volume bid for Hour 3A and Quarter Hour 3 (02:30-02:45), three decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Volume H03A Q4	Volume bid for Hour 3A and Quarter Hour 4 (02:45-03:00), three decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Volume H03B Q1	Volume bid for Hour 3B and Quarter Hour 1, three decimals. Field is filled for switch to winter time
Volume H03B Q2	Volume bid for Hour 3B and Quarter Hour 2, three decimals. Field is filled for switch to winter time
Volume H03B Q3	Volume bid for Hour 3B and Quarter Hour 3, three decimals. Field is filled for switch to winter time
Volume H03B Q4	Volume bid for Hour 3B and Quarter Hour 4, three decimals. Field is filled for switch to winter time
...	...
Volume H24 Q4	Volume bid for Hour 24 and Quarter Hour 4 (23:45-24:00), three decimals.
MAR	Minimum Acceptance Ratio
AAR	Actual Acceptance Ratio

- **Aggregated curves**

Name	pan-european_aggregated_curves_<market area>_IDA1_YYYYMMDD.csv pan-european_aggregated_curves_<market area>_IDA2_YYYYMMDD.csv pan-european_aggregated_curves_<market area>_IDA3_YYYYMMDD.csv
Format	csv
Separator	Comma separated values
Location	/<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Current/Aggregated curves/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Intraday Auction/Pan-European IDA1 or IDA2 or IDA3/Historical/Aggregated curves/
Update	IDA1: Approx. 15:45 CET/CEST in D-1 IDA2 : Approx. 22:45 CET/CEST in D-1 IDA3 : Approx. 10:45 CET/CEST in D



Line 1: # trading date (DD/M/YY) + publication time (HH:MM CET (IN WINTER)/CEST (IN SUMMER)AM or PM): Aggregated Curves - [market area]

Column Header	Content and format
Date	Delivery date DD/MM/YYYY
Week	Number of current week in current year
Week Day	Number of current day in current week
Hour	Hour name (1 to 24)
Quarter hour	Quarter name in the hour (1 to 4)
Price	Euros, up to 13 decimals
Volume	MWh, up to 13 decimals
Sale/Purchase	Sell or Purchase as determined in the order book

### Switzerland:

- **Prices**

Name	intraday_auction_spot_prices_CH-IDA1_YYYY.csv
Format	csv
Separator	Comma separated values
Location	/switzerland/Intraday Auction/CH IDA1/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /switzerland/Intraday Auction/CH IDA1/Historical/Prices_Volumes/
Update	approx. 17:57 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM UTC]: Prices - EPEX Spot Intraday Market Auction – CH-IDA1 – Currency: EUR

Header	Content and format
Delivery day	DD/MM/YYYY
Hour 1	Price value for 00:00 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 2	Price value for 01:00 to 02:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 3A	Price value for 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3B	Price value for 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)

Header	Content and format
..	
Hour 24	Price value for 23:00 to 24:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Baseload (Hours 1-24)	Average price for the hourly products of the day, two decimals.
Peakload (Hours 9-20)	Average price for block including Hours 9 to 20, two decimals.
Off-peak (Hours 1-8 & 21-24)	Average price for block including Hours 1 to 8 (OP1) and 21 to 24 (OP2), two decimals.
Off-peak 2 (Hours 21-24)	Average price for block including Hours 21 to 24, two decimals.
Off-peak 1 (Hours 1-8)	Average price for block including Hours 1 to 8, two decimals.
Night (Hours 1-6)	Average price for block including Hours 1 to 6, two decimals. <i>Will be added at a later stage.</i>
Late morning (Hours 9-12)	Average price for block including Hours 9 to 12, two decimals. <i>Will be added at a later stage.</i>
Early afternoon (Hours 13-16)	Average price for block including Hours 13 to 16, two decimals. <i>Will be added at a later stage.</i>
Evening (Hours 19-24)	Average price for block including Hours 19 to 24, two decimals. <i>Will be added at a later stage.</i>
Early morning (Hours 5-8)	Average price for block including Hours 5 to 8, two decimals. <i>Will be added at a later stage.</i>
Business (Hours 9-16)	Average price for block including Hours 9 to 16, two decimals. <i>Will be added at a later stage.</i>
Afternoon (Hours 15-18)	Average price for block including Hours 15 to 18, two decimals. <i>Will be added at a later stage.</i>
Middle night (Hours 1-4)	Average price for block including Hours 1 to 4, two decimals. <i>Will be added at a later stage.</i>
Morning (Hours 7-10)	Average price for block including Hours 7 to 10, two decimals. <i>Will be added at a later stage.</i>
High noon (Hours 11-14)	Average price for block including Hours 11 to 14, two decimals. <i>Will be added at a later stage.</i>
Rush Hours (Hours 17-20)	Average price for block including Hours 17 to 20, two decimals. <i>Will be added at a later stage.</i>

Header	Content and format
Sun peak (Hours 11-16)	Average price for block including Hours 11 to 16, two decimals. <i>Will be added at a later stage.</i>

Name	intraday_auction_spot_prices_CH-IDA2_YYYY.csv
Format	csv
Separator	Comma separated values
Location	/switzerland/Intraday Auction/CH IDA2/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /switzerland/Intraday Auction/CH IDA2/Historical/Prices_Volumes/
Update	approx. 10:47 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM UTC]: Prices - EPEX Spot Intraday Market Auction – CH-IDA2 – Currency: EUR

Header	Content and format
Delivery day	DD/MM/YYYY
Hour 13	Price value for 12:00 to 13:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals
Hour 14	Price value for 13:00 to 14:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals
Hour 15	Price value for 14:00 to 15:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals
..	
Hour 24	Price value for 23:00 to 24:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Baseload (Hours 1-24)	Average price for the hourly products of the day, two decimals.
Peakload (Hours 9-20)	No values.
Off-peak (Hours 1-8 & 21-24)	No values.
Off-peak 2 (Hours 21-24)	Average price for block including Hours 21 to 24, two decimals.
Off-peak 1 (Hours 1-8)	No values.
Night (Hours 1-6)	No values.
Late morning (Hours 9-12)	No values.
Early afternoon (Hours 13-16)	No values.
Evening (Hours 19-24)	No values.

Header	Content and format
Early morning (Hours 5-8)	No values.
Business (Hours 9-16)	No values.
Afternoon (Hours 15-18)	No values.
Middle night (Hours 1-4)	No values.
Morning (Hours 7-10)	No values.
High noon (Hours 11-14)	No values.
Rush Hours (Hours 17-20)	No values.
Sun peak (Hours 11-16)	No values.
Maximum	No values.
Baseload 16-24	No values.
Baseload 13-24	No values.
Peakload	No values.
Off-Peak 2	No values.

- Volumes**

Name	intraday_auction_spot_volumes_CH-IDA1_YYYY.csv
Format	csv
Separator	Comma separated values
Location	/switzerland/Intraday Auction/CH IDA1/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /switzerland/Intraday Auction/CH IDA1/Historical/Prices_Volumes/
Update	approx. 17:57 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM UTC]: Volumes - EPEX Intraday Market Auction – CH-IDA1

Header	Content and format
Delivery day	DD/MM/YYYY
Hour 1	Volume traded for 00:00 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal
Hour 2	Volume traded for 01:00 to 02:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal
Hour 3A	Volume traded for 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3B	Volume traded for 02:00 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal. Field is filled for switch to winter time (DST – Daylight Saving Time)
..	
Hour 24	Volume traded for 23:00 to 24:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal

Header	Content and format
Total Volume	Volume traded for the 24 hours of the day, one decimal

Name	intraday_auction_spot_volumes_CH-IDA2_YYYY.csv
Format	csv
Separator	Comma separated values
Location	/switzerland/Intraday Auction/CH IDA2/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /switzerland/Intraday Auction/CH IDA2/Historical/Prices_Volumes/
Update	approx. 10:47 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM UTC]: Volumes – EPEX Spot Intraday Market Auction – CH-IDA2

Header	Content and format
Delivery day	DD/MM/YYYY
Hour 13	Volume traded for 12:00 to 13:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal
Hour 14	Volume traded for 13:00 to 14:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal
Hour 15	Volume traded for 14:00 to 15:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal
..	
Hour 24	Volume traded for 23:00 to 24:00 CET (IN WINTER)/CEST (IN SUMMER), one decimal
Total Volume	Volume traded for the 12 hours of the day, one decimal

- **Aggregated curves**

The aggregated curves are the illustration of how the quarterly prices are determined.

Name	intraday_auction_aggregated_curves_CH-IDA1_YYYYMMDD.csv
Format	csv
Separator	Comma separated values
Location	/switzerland/Intraday Auction/CH IDA1/Current/Aggregated curves/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Intraday Auction/CH IDA1/Historical/Aggregated curves/
Update	Approx. 17:58 CET/CEST everyday

Line 1: # trading date (DD/M/YY) + publication time (HH:MM CET (IN WINTER)/CEST (IN SUMMER))  
AM or PM: Aggregated Curves - EPEX Intraday Market Auction – CH-IDA1

Column Header	Content and format
Date	Delivery date DD/MM/YYYY
Week	Number of current week in current year
Week Day	Number of current day in current week
Hour	Hour name (1 to 24)
Price	Euros, up to 13 decimals Minimum price = -3000 €/MWh; maximum price = 3000 €/MWh
Volume	MWh, up to 13 decimals
Sale/Purchase	Sell or Purchase as determined in the order book

Name	intraday_auction_aggregated_curves_CH-IDA2_YYYYMMDD.csv
Format	csv
Separator	Comma separated values
Location	/<market area>/Intraday Auction/CH IDA2/Current/Aggregated curves/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /<market area>/Intraday Auction/CH IDA2/Historical/Aggregated curves/
Update	Approx. 10:48 CET/CEST everyday

Line 1: # trading date (DD/M/YY) + publication time (HH:MM CET (IN WINTER)/CEST (IN SUMMER))  
AM or PM: Aggregated Curves - EPEX Intraday Market Auction – CH-IDA2

Column Header	Content and format
Date	Delivery date DD/MM/YYYY
Week	Number of current week in current year
Week Day	Number of current day in current week
Hour	Hour name (13 to 24)
Price	Euros, up to 13 decimals Minimum price = -3000 €/MWh; maximum price = 3000 €/MWh
Volume	MWh, up to 13 decimals
Sale/Purchase	Sell or Purchase as determined in the order book

### Great-Britain:

The GB SEM 30min Intraday Auction D-1 (IDA1) GB SEM 30min Intraday Auction D (IDA2) refer to the GB intraday implicit auctions.

- **Prices**

Name	intraday_auction_spot_prices_SEM GB IDA1_YYYY.csv
------	---

Format	csv
Separator	Comma separated values
Location	/great-britain/Intraday Auction/GB 30min IDM Auction D-1/Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /great-britain/Intraday Auction/GB 30min IDM Auction D-1/Historical/Prices_Volumes/
Update	Approx. 19:05 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM] UTC: Prices - EPEX Spot Intraday Market Auction – SEM GB IDA1 – Currency: GBP

<i>Header</i>	<i>Content and format</i>
Delivery day	DD/MM/YYYY
Hour 1 Q1	Price value for 00:00 to 00:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 1 Q2	Price value for 00:30 to 01:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 2 Q1	Price value for 01:00 to 01:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 2 Q1	Price value for 01:30 to 02:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 3A Q1	Price value for 02:00 to 02:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3A Q2	Price value for 02:30 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3B Q1	Price value for 02:00 to 02:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
Hour 3B Q2	Price value for 02:30 to 03:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals. Field is filled for switch to winter time (DST – Daylight Saving Time)
..	
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Baseload (0-23)	Average hourly price for the 48 half hours of the day, two decimals.
Peakload (8-19)	Average price for block including half-hours 9 Q1 to 20 Q2, two decimals.

Header	Content and format
Off-Peak (00-07 & 20-23)	Average price for block including half-hours 1Q1 to 8 Q2 (OP1) and 21 Q1 to 24 Q2 (OP2), two decimals.

Name	intraday_auction_spot_prices_SEM GB IDA2_YYYY.csv
Format	csv
Separator	Comma separated values
Location	/great-britain/Intraday Auction/GB 30min IDM Auction D/ Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /great-britain/Intraday Auction/GB 30min IDM Auction D/ Historical/Prices_Volumes/
Update	Approx. 09:35 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM] UTC: Prices - EPEX Spot Intraday Market Auction – SEM GB IDA2 – Currency: GBP

Header	Content and format
Delivery day	DD/MM/YYYY
Hour13 Q1	Price value for 12:00 to 12:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 13 Q2	Price value for 12:30 to 13:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour14 Q1	Price value for 13:00 to 13:30 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
Hour 14 Q2	Price value for 13:30 to 14:00 CET (IN WINTER)/CEST (IN SUMMER), two decimals.
..	
Minimum	Minimum price, two decimals.
Maximum	Maximum price, two decimals.
Baseload (0-23)	Average hourly price for the 22 half-hours of the period, two decimals.
Peakload (8-19)	Average price for block including half-hours 9 Q1 to 20 Q2, two decimals.
Off-Peak (00-07 & 20-23)	Average price for block including half-hours 1Q1 to 8 Q2 (OP1) and 21 Q1 to 24 Q2 (OP2), two decimals.

### • Volumes

Name	intraday_auction_spot_volumes_SEM GB IDA1_YYYY.csv
Format	csv
Location	/great-britain/Intraday Auction/GB 30min IDM Auction D- 1/Current/Prices_Volumes/



	(Current year Y files are located in this folder, Y-1 and beyond files are located in /great-britain/Intraday Auction/GB 30min IDM Auction D-1/ Historical/Prices_Volumes/
Update	Approx. 19:05 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM] UTC: Volumes - EPEX Spot Intraday Market Auction – SEM GB IDA1

Header	Content and format
Delivery day	DD/MM/YYYY
Hour 1 Q1	Volume traded from 00:00 to 00:30 CET (IN WINTER)/CEST (IN SUMMER).
Hour 1 Q2	Volume traded from 00:30 to 01:00 CET (IN WINTER)/CEST (IN SUMMER).
Hour 2 Q1	Volume traded from 01:00 to 01:30 CET (IN WINTER)/CEST (IN SUMMER).
Hour 2 Q1	Volume traded from 01:30 to 02:00 CET (IN WINTER)/CEST (IN SUMMER).
Hour 3A Q1	Price value from 02:00 to 02:30 CET (IN WINTER)/CEST (IN SUMMER). Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3A Q2	Price value from 02:30 to 03:00 CET (IN WINTER)/CEST (IN SUMMER). Field is empty for switch to summer time (DST – Daylight Saving Time)
Hour 3B Q1	Volume traded from 02:00 to 02:30 CET (IN WINTER)/CEST (IN SUMMER). Field is filled for switch to winter time (DST – Daylight Saving Time)
Hour 3B Q2	Volume traded from 02:30 to 03:00 CET (IN WINTER)/CEST (IN SUMMER). Field is filled for switch to winter time (DST – Daylight Saving Time)
..	
Total Volume	Volume traded for the 48 half-hours of the day

Name	intraday_auction_spot_volumes_SEM GB IDA2_YYYY.csv
Format	csv
Separator	Comma separated values
Location	/great-britain/Intraday Auction/GB 30min IDM Auction D/ Current/Prices_Volumes/ (Current year Y files are located in this folder, Y-1 and beyond files are located in /great-britain/Intraday Auction/GB 30min IDM Auction D/ Historical/Prices_Volumes/
Update	Approx. 11:35 CET/CEST everyday

Line 1: # [DD/MM/YYYY] [HH:MM:ss AM/PM] UTC: Volumes - EPEX Spot Intraday Market Auction – SEM GB IDA2

Header	Content and format
Delivery day	DD/MM/YYYY
Hour13 Q1	Volume traded from 12:00 to 12:30 CET (IN WINTER)/CEST (IN SUMMER).
Hour 13 Q2	Volume traded from 12:30 to 13:00 CET (IN WINTER)/CEST (IN SUMMER).
Hour14 Q1	Volume traded from 13:00 to 13:30 CET (IN WINTER)/CEST (IN SUMMER).
Hour 14 Q2	Volume traded from 13:30 to 14:00 CET (IN WINTER)/CEST (IN SUMMER).
..	
Total Volume	Volume traded for the 22 half-hours of the period.

- **Aggregated curves**

Name	intraday_auction_aggregated_curves_SEM GB IDA1_yyyymmdd intraday_auction_aggregated_curves_SEM GB IDA2_yyyymmdd
Format	csv
Separator	Comma separated values
Location	/great-britain/Intraday Auction/GB 30min IDM Auction D-1/Current/Aggregated curves/ /great-britain/Intraday Auction/GB 30min IDM Auction D/Current/Aggregated curves/
Update	D-1: Approx. 19:15 CET/CEST everyday D: Approx. 09:40 CET/CEST everyday

Line 1: # dd/mm/yyyy hh:mm:ss AM or PM : Aggregated Curves - EPEX Spot Intraday Market Auction - SEM GB IDA1 or SEM GB IDA2

Column Header	Content and format
Date	Delivery date DD/MM/YYYY
Week	Number of current week in current year
Week Day	Number of current day in current week
Hour	Hour name (1 to 24 for D-1; 13 to 24 for D))
Price	GBP, up to 13 decimals
Volume	MWh, up to 13 decimals
Sale/Purchase	Sell or Purchase as determined in the order book

## 2.4.3 Intraday Continuous

- **General principles**

- All files are in csv format
- The first line of the file (before the content) is a “file header”, displaying the name of the report, the short name of the market area (MA), the period covered by the report and the creation timestamp
- MA shows the short name as follows: AT, BE, CH, DE, DK1, DK2, FI, FR, GB, NL, NO1, NO2, NO3, NO4, NO5, PL, SE1, SE2, SE3 and SE4
- All volumes are in **MWh**

- All files include data for one CET/CEST delivery day
- All timestamps are in UTC

### • Continuous Statistics files

- The harmonized intraday continuous statistics files are created for each CET/CEST Delivery day (instead of one yearly file previously).
- Hourly and block products are included in the same statistics file.
- A trade is included in the intraday statistics file for a market area if:
  - An EPEX member is involved in the trade in the given market area
  - The trade is not an EPEX self-trade (trades for which the same counterparty is on the buy and the sell side)
  - The trade is not an OTC trade
  - The trade is not cancelled/recalled
  - The trade was not executed after Delivery start (After-market is excluded)

The EPEX SPOT intraday continuous statistics files are located either in the folder /<market area>/Intraday Continuous/Delayed/Results/, or /<market area>/Intraday Continuous/EOD/Results/.

File name: **Continuous\_Statistics-MA-yyyyymmdd-yyyyymmddThhmmsssssZ.csv**

File format: csv

Data is published on a daily basis.

- Data updated every 20 minutes in the delayed offer
- The statistics are updated accordingly when there is a trade cancellation

Name	Continuous_Statistics-MA-yyyyymmdd-yyyyymmddThhmmsssssZ
Format	csv
Separator	Comma separated values
Update (Delayed folder)	Every 20 minutes
Update (EOD folder)	Approx. 02:00 CET/CEST everyday

Line 1: # Continuous Statistics – MA – yyyy-mm-dd - (yyyy-mm-ddThh:mm:ss.sssZ (update date and time in UTC)

Header	Format	Content
DeliveryStart	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery start of the contract, in UTC, including seconds
DeliveryEnd	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery end of the contract, in UTC, including seconds
LowPrice	Decimal (compact formatting)	Lowest price traded for the contract in the given Market Area

Header	Format	Content
HighPrice	Decimal (compact formatting)	Highest price traded for the contract in the given Market Area
LastPrice	Decimal (compact formatting)	Price of the last eligible trade on the contract in the given Market Area
WeightedAveragePrice	Decimal (compact formatting)	Volume weighted average of the prices of all eligible trades on the contract in the given Market Area
Currency	string	EUR or GBP
LastPriceTimeStamp	ISO8061 extended datetime (yyyymmddThhmmsssssZ.csv)	Timestamp of the last eligible trade on the contract, in UTC, including milliseconds
VolumeBuy	Decimal (compact formatting)	Total volume bought in on the contract in the given Market Area
VolumeSell	Decimal (compact formatting)	Total volume sold in on the contract in the given Market Area
VolumeUnit	string	MWH - Unit of the volumes, using UN/CEFACT recommendation 20 common code

Compact formatting of decimals means:

- No unnecessary leading & trailing zeros
- For numbers between 0 and 1, the decimal sign is preceded by a zero.
- No rounding/truncating
- Negative numbers start with a minus sign
- 0 is used for zero values

#### • Continuous Transactions files

A trade is included in the intraday transactions file for a market area if:

- An EPEX member is involved in the trade in the given market area
- The trade is included in the area of the EPEX member (not in the area of the other Nemo)
- The trade is not cancelled/recalled

File name: **Continuous\_Trades-MA-yyyymmdd-yyyymmddThhmmsssssZ.csv**

File format: csv

Data is published on a daily basis.

- Data is updated every 20 minutes in the delayed offer
- The statistics are updated accordingly when there is a trade cancellation

Name	Continuous_Trades-MA-yyyymmdd-yyyymmddThhmmsssssZ
Format	csv in a zip file

Separator	Comma separated values
Update (Delayed folder)	Every 20 minutes
Update (EOD folder)	Approx. 02:00 CET/CEST everyday

Line 1: # Continuous Trades – MA – yyyy-mm-dd - (yyyy-mm-ddThh:mm:ss.sssZ (update date and time in UTC)

Header	Format	Content
Tradeld	Integer	Identifier of the trade
RemoteTradeld	Integer	Identifier of the trade if executed on the SOB
Side	string	Identifies the side of the trade leg (BUY or SELL)
Product	string	Identifies the product the trade was created on (XBID, Intraday, Hour, Half Hour, Quarter Hour)
DeliveryStart	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery start of the contract, in UTC, including seconds
DeliveryEnd	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery end of the contract, in UTC, including seconds
ExecutionTime	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Trading time of the contract, in UTC, including milliseconds
DeliveryArea	string	<p>delivery area where the trade leg is located (short name)</p> <p>For Germany:</p> <ul style="list-style-type: none"> <li>▪ DE1: DE-ENBW</li> <li>▪ DE2: DE-AMP</li> <li>▪ DE3: DE-TPS</li> <li>▪ DE4: DE-50HZ</li> </ul>
TradePhase	string	<p>Phase the contract of the trade at the time of matching (CONT, SDAT or AUCTION).</p> <p>The Trade phase is the trading phase at the time of matching:</p> <ul style="list-style-type: none"> <li>- CONT (continuous): for Germany it is from opening of the contract up to 30mins before the delivery (then the SDAT – Same Delivery Area Trading - phase starts). for other market areas, it is the full trading session, Auction phases excepted</li> <li>- SDAT (Same Delivery Area Trading): it is the last 25 mins on the trading session</li> </ul>

Header	Format	Content
		<p>in Germany [30 to 5 min before start of delivery], during which the 4 TSO control areas are decoupled</p> <ul style="list-style-type: none"> <li>- AUCT (auction): sometimes, when some cross-border capacity is released, an automatic auction is performed in the continuous market. In that case, the phase is "AUCT".</li> </ul>
UserDefinedBlock	string	Indicates if the trade is on a user defined block contract or not
SelfTrade	string	Indicates if the trade is a self-trade or if it is not possible to be determined (in case the counterpart is unknown)
Price	Decimal (compact formatting)	Price of the trade leg
Currency	string	EUR or GBP
Volume	Decimal (compact formatting)	Volume of the trade leg
VolumeUnit	string	MWH - Unit of the volumes, using UN/CEFACT recommendation 20 common code
OrderId	Integer	Reference to the order the trade leg is related to

### • Intraday Index files

All indices are included in one file. Cross border trades with one leg (Buy/Sell) in the given market are taken into account in the calculation of indices. Cross-trades (i.e. self-trades; trades for which the same counterparty is on the buy and the sell side) are excluded.

The EPEX SPOT harmonised Intraday indices files are located in the folder /<market area>/Intraday Continuous/Indices/Intraday indices/.

### All market areas:

File name: **Continuous\_Index-MA-yyyymmdd-yyyymmddThhmmsssssZ.csv**

File format: csv

Data is published on a daily basis.

Name	Continuous_Index-MA-yyyymmdd-yyyymmddThhmmsssssZ
Format	csv
Separator	Comma separated values
Update	Approx. 02:00 CET/CEST everyday

Line 1: # Continuous Index – MA – yyyy-mm-dd - yyyy-mm-ddThh:mm:ss.sssZ (update date and time in UTC)

Header	Format	Content
IndexName	string	Index name to which the index is directly related or derived (IDFULL, ID3, ID1, RPD, RPD HH)
TimeResolution	string	Delivery duration or name of the defined block to which the index belongs to (60min, 30min, 15min, Base, Peak, Extended Peak, Industrial Peak, Offpeak)
DeliveryStart	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery start of the contract, in UTC, including seconds
DeliveryEnd	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery end of the contract, in UTC, including seconds
IndexPrice	Decimal (compact formatting)	Index calculated for each product
Currency	string	EUR or GBP
IndexVolume	Decimal (compact formatting)	Total volume in the given Market Area
VolumeUnit	string	MWH

- **Orders files**

Orders files display the M7 order book in a given market area.

The EPEX SPOT orders files are located in the folder /<market area>/Intraday Continuous/Orders/

### All market areas:

File name: **Continuous\_Orders-MA-yyyymmdd-yyyymmddThhmmsssssZ.csv**

File format: csv

Data is published on a daily basis.

Name	Continuous_Orders-MA-yyyymmdd-yyyymmddThhmmsssssZ
Format	csv in a zip file
Separator	Comma separated values
Update	Once a day. Approx. 10AM CET/CEST (D+1 for all market areas)

Line 1: # Continuous Orders – MA – yyyy-mm-dd - yyyy-mm-ddThh:mm:ss.sssZ (update date and time in UTC)

Header	Format	Content
OrderId	integer	Identifier of the order
InitialId	Integer	Identifier of the first order in a modification chain

Header	Format	Content
ParentId	Integer	Identifier of the previous order in a modification chain
Side	string	Side of the order
Product	string	Product the order was created on
DeliveryStart	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery start of the contract, in UTC, including seconds
DeliveryEnd	ISO8061 extended datetime (yyyy-mm-ddThh:mm:ssZ)	Delivery end of the contract, in UTC, including seconds
CreationTime	ISO8061 extended datetime (yyyy-mm-ddThh:mm:sssZ)	Time when the order was created, in UTC, including milliseconds
DeliveryArea	string	Delivery area of the order  For Germany: <ul style="list-style-type: none"> <li>▪ DE1: DE-ENBW</li> <li>▪ DE2: DE-AMP</li> <li>▪ DE3: DE-TPS</li> <li>▪ DE4: DE-50HZ</li> </ul>
ExecutionRestriction	string	Execution restriction of the order
UserDefinedBlock	string	Indicates if the order is on a user defined block contract or not
LinkedBasketId	Integer	Identifier of the linked basket the order is part of. Empty if the order is not part of a linked basket
RevisionNo	Integer	Revision number of the order revision
ActionCode	string	Indicates the action that resulted in the creation of the order revision.  Action code description: A-Added C-Changed D-Deleted by the user H-Hibernated I-Iceberg M-Matched/Executed P-Martially matched X-Deleted by the trading system
TransactionTime	ISO8061 extended timestamp	Time when the order revision was created, in UTC, including milliseconds
ValidityTime	ISO8061 extended timestamp	Defines the time until when the order is valid. Empty if the order is not submitted with Good-Till-Date (GTD) validity restriction
Price	Decimal (compact formatting)	Price of the order at this revision
Currency	string	EUR or GBP
Quantity	Decimal (compact formatting)	Quantity of the order at this revision
QuantityUnit	string	MAW (Unit of the quantity, using UN/CEFACT recommendation 20 common code)



Header	Format	Content
Volume	Decimal (compact formatting)	Total volume in the given Market Area
VolumeUnit	string	MWH (Unit of the volume, using UN/CEFACT recommendation 20 common code)

## 2.4.4 Guarantees of origin

a) General principles:

- All files are in csv format with comma separator
- All timestamps are in UTC

b) Nuclear GO Auction results and indices file:

The EPEX SPOT Nuclear GO Auction results and indices files are located in the folder /guarantees of origin/Current/Prices\_Volumes/Nuclear.

Name	auction_results_guarantees_of_origin_nuclear_yyyymmdd
Format	csv
Separator	Comma separated values
Update	Auction Day at 01:00 PM CET/CEST

Line 1: #[Auction Date in the format DD/MM/YYYY] [File Creation Date Time in UTC in the format HH:MM:SS AM/PM]: Auction Indices and Results - Guarantees of Origin

First table (index data)		
Header	Format	Content
Indices	Text	Name of indices: <ul style="list-style-type: none"> <li>• Europe Nuclear</li> </ul>
AuctionPeriod	Mmm. YY – Mmm. YY (for a production covering several months)	Auction period for which the underlying energy was produced
PriceIndex	Numerical with 2 decimal points and dots used a decimal separator	Index calculated for each zone in EUR
VolumeIndex	Numerical with no decimal points	Volume used in the calculation of the index (in MWh)

Second table (Market Results)		
Header	Format	Content
Technology	Text	Hydro, wind and solar
Country	Text	List of countries accepted: Austria, Belgium, Croatia, Czech

Second table (Market Results)		
Header	Format	Content
		Republic, Denmark, Estonia, Finland, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, Norway, Slovakia, Slovenia, Spain, Sweden, and Switzerland
SubsidyScheme	Text	GOs can be linked to an asset under a subsidy scheme or not: <ul style="list-style-type: none"> <li>For Buy orders, possible values for subsidy scheme are: "No" or "All"</li> <li>For Sell orders, possible values for subsidy scheme are: "Yes" or "No"</li> </ul>
ProductionPeriod	Mmm. YY (for a production period covering one month) Mmm. YY – Mmm. YY (for a production covering several months)	Production period for which the underlying energy was produced
MarketClearingPriceBuy	Numerical with 2 decimal points and dots used a decimal separator	Buy price determined by the algorithm for the relevant product
ClearedVolumeBuy	Numerical with no decimal points	Total volume purchased
MarketClearingPriceSell	Numerical with 2 decimal points and dots used a decimal separator	Sell price determined by the algorithm for the relevant product
ClearedVolumeSell	Numerical with no decimal points	Total volume sold
Currency	Text	Euro
VolumeUnit	Text	MWh

c) Renewables GO Auction results and indices file:

The EPEX SPOT Renewables GO Auction results and indices files are located in the folder /guarantees of origin/Current/Prices\_Volumes/Renewables.

Name	auction_results_guarantees_of_origin_renewables_yyyymmdd
Format	csv
Separator	Comma separated values
Update	Auction Day at 01:00 PM CET/CEST

Line 1: #[Auction Date in the format DD/MM/YYYY] [File Creation Date Time in UTC in the format HH:MM:SS AM/PM]: Auction Indices and Results - Guarantees of Origin

<i>First table (index data)</i>		
<i>Header</i>	<i>Format</i>	<i>Content</i>
Indices	Text	Name of indices: <ul style="list-style-type: none"> <li>• Europe GO</li> <li>• Europe Hydro</li> <li>• Europe Solar</li> <li>• Europe Wind</li> <li>• Nordic Hydro</li> </ul>
AuctionPeriod	Mmm. YY – Mmm. YY (for a production covering several months)	Auction period for which the underlying energy was produced
PriceIndex	Numerical with 2 decimal points and dots used a decimal separator	Index calculated for each zone in EUR
VolumeIndex	Numerical with no decimal points	Volume used in the calculation of the index

<i>Second table (Market Results)</i>		
<i>Header</i>	<i>Format</i>	<i>Content</i>
Technology	Text	Nuclear
Country	Text	List of countries accepted: Austria, Belgium, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, Norway, Slovakia, Slovenia, Spain, Sweden, and Switzerland
SubsidyScheme	Text	GOs can be linked to an asset under a subsidy scheme or not: <ul style="list-style-type: none"> <li>▪ For Buy orders, possible values for subsidy scheme are: “No” or “All”</li> <li>▪ For Sell orders, possible values for subsidy scheme are: “Yes” or “No”</li> </ul>
ProductionPeriod	Mmm. YY (for a production period covering one month) Mmm. YY – Mmm. YY (for a production covering several months)	Production period for which the underlying energy was produced
MarketClearingPriceBuy	Numerical with 2 decimal points and dots used a decimal separator	Buy price determined by the algorithm for the relevant product
ClearedVolumeBuy	Numerical with no decimal points	Total volume purchased
MarketClearingPriceSell	Numerical with 2 decimal points and dots used a decimal separator	Sell price determined by the algorithm for the relevant product

<i>Second table (Market Results)</i>		
<i>Header</i>	<i>Format</i>	<i>Content</i>
ClearedVolumeSell	Numerical with no decimal points	Total volume sold
Currency	Text	Euro
VolumeUnit	Text	MWh

d) Thermal GO Auction thermal results and indices file:

The EPEX SPOT Thermal GO Auction results and indices files are located in the folder /guarantees of origin/Current/Prices\_Volumes/Thermal.

File name: **auction\_results\_guarantees\_of\_origin\_thermal\_yyyymmdd.csv**

File format: csv

Name	auction_results_guarantees_of_origin_thermal_yyyymmdd
Format	csv
Separator	Comma separated values
Update	Auction Day at 01:00 PM CET/CEST

Line 1: #[Auction Date in the format DD/MM/YYYY] [File Creation Date Time in UTC in the format HH:MM:SS AM/PM]: Auction Indices and Results - Guarantees of Origin

<i>First table (index data)</i>		
<i>Header</i>	<i>Format</i>	<i>Content</i>
Indices	Text	Name of index: <ul style="list-style-type: none"> <li>Europe Thermal</li> </ul>
AuctionPeriod	Mmm. YY – Mmm. YY (for a production covering several months)	Auction period for which the underlying energy was produced
PriceIndex	Numerical with 2 decimal points and dots used a decimal separator	Index calculated for each zone in EUR
VolumeIndex	Numerical with no decimal points	Volume used in the calculation of the index

<i>Second table (Market Results)</i>		
<i>Header</i>	<i>Format</i>	<i>Content</i>
Technology	Text	Hydro, wind and solar
Country	Text	List of countries accepted: Austria, Belgium, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, Norway, Slovakia, Slovenia, Spain, Sweden, and Switzerland

<i>Second table (Market Results)</i>		
<i>Header</i>	<i>Format</i>	<i>Content</i>
SubsidyScheme	Text	GOs can be linked to an asset under a subsidy scheme or not: <ul style="list-style-type: none"> <li>▪ For Buy orders, possible values for subsidy scheme are: "No" or "All"</li> <li>▪ For Sell orders, possible values for subsidy scheme are: "Yes" or "No"</li> </ul>
ProductionPeriod	Mmm. YY (for a production period covering one month) Mmm. YY – Mmm. YY (for a production covering several months)	Production period for which the underlying energy was produced
MarketClearingPriceBuy	Numerical with 2 decimal points and dots used a decimal separator	Buy price determined by the algorithm for the relevant product
ClearedVolumeBuy	Numerical with no decimal points	Total volume purchased
MarketClearingPriceSell	Numerical with 2 decimal points and dots used a decimal separator	Sell price determined by the algorithm for the relevant product
ClearedVolumeSell	Numerical with no decimal points	Total volume sold
Currency	Text	Euro
VolumeUnit	Text	MWh

The GO algorithm works in 4 main steps:

- Determination of accepted quantities: maximization of market welfare
- Determination of buy prices (including generic prices): sharing the surplus between buyers and sellers while avoiding paradoxically accepted or rejected orders
- Determination of sell prices: as the weighted average of buy prices, depending on which set of buy genericities/specificities a sell specificity has been matched with
- In case of indeterminacy (regarding orders that cannot all be satisfied while similar from a welfare standpoint), priority is given to the order that was firmed first in the trading system
- Buy prices are determined by an optimization algorithm that will aim at forbidding paradoxically accepted orders and avoid paradoxically rejected orders.

e) Definition of GO indices

<i>Index name</i>	<i>Definition</i>
Europe GO	This index is calculated using all prices and volumes, i.e. for all countries, subsidy schemes and technologies. The volume index is the sum of volumes, and the price index is the average of prices weighted by volumes.
Europe Hydro	This index is calculated using all hydro prices and volumes, i.e. for all countries, subsidy schemes and hydro technology. The volume index is the

	sum of all hydro volumes, and the price index is the average of all hydro prices weighted by volumes.
Europe Solar	This index is calculated using all solar prices and volumes, i.e. for all countries, subsidy schemes and solar technology. The volume index is the sum of all solar volumes, and the price index is the average of all solar prices weighted by volumes.
Europe Wind	This index is calculated using all wind prices and volumes, i.e. for all countries, subsidy schemes and wind technology. The volume index is the sum of all wind volumes, and the price index is the average of all wind prices weighted by volumes.
Nordic Hydro	This index is calculated using all Nordic hydro prices and volumes, i.e. for Nordic countries (Denmark, Finland, Norway and Sweden), subsidy schemes and hydro technology. The volume index is the sum of all Nordic hydro volumes, and the price index is the average of all Nordic hydro prices weighted by volumes.
Europe Thermal	This index is calculated using all thermal prices and volumes, i.e. for all countries, subsidy schemes and thermal technology. The volume index is the sum of all thermal volumes, and the price index is the average of all thermal prices weighted by volumes.
Europe Nuclear	This index is calculated using all nuclear prices and volumes, i.e. for all countries, subsidy schemes and nuclear technology. The volume index is the sum of all nuclear volumes, and the price index is the average of all nuclear prices weighted by volumes.

If the total volume used to compute a price index is null (i.e. no trades have been made for all {countries, technologies, subsidy types} linked to this index), unmatched buy and sell order prices of relevant {countries, technologies, subsidy types} are used to compute the price index. In this case, no volume index is computed.

If there are no unmatched buy and sell orders, the price index is not computed either.

## 3 Contacts

Your contacts	
<b>Head of Market Data and E-Learning</b>  Françoise Maguet +33 (0) 1 73 03 61 83 marketdata.sales@epexspot.com	<b>Market Data Sales Manager</b>  Monika Suntinger +33 (0)1 73 03 61 63 marketdata.sales@epexspot.com  Mahjoub Faraj marketdata.sales@epexspot.com  <b>Market Data Project</b>  Sophie Morin +33 (0)1 73 03 61 56 marketdata.sales@epexspot.com  Sovann Khou +33 (0)1 73 03 61 68 marketdata.sales@epexspot.com